

Deep Dive into Deep Learning

PREMANANDA INDIC, PH.D.

DEPARTMENT OF ELECTRICAL ENGINEERING

ORS Research Design & Data Analysis Lab

Office of Research and Scholarship

ANALYSIS PLATFORM



University of Texas at Tyler

Get Software Learn MATLAB Teach with MATLAB

What's New

MATLAB R2021b

MATLAB Access for Everyone at

University of Texas at Tyler

https://www.mathworks.com/academia/tah-portal/university-of-texas-at-tyler-1108545.html

ANALYSIS PLATFORM



University of Texas at Tyler

Get Software


Learn MATLAB

Teach with MATLAB

What's New

MATLAB Access for Everyone at

University of Texas at Tyler



https://www.mathworks.com/academia/tah-portal/university-of-texas-at-tyler-1108545.html

OUTLINE

- > INTRODUCTION
- > CHALLENGES OF BIOMEDICAL DATA ANALYSIS
- > DIFFERENT DEEP LEARNING APPROACHES WITH EXAMPLES
- **>** QUESTIONS

OUTLINE


- > INTRODUCTION
- > CHALLENGES OF BIOMEDICAL DATA ANALYSIS
- > DIFFERENT DEEP LEARNING APPROACHES WITH EXAMPLES
- **>** QUESTIONS

➤ What is Machine Learning?

- •Machine Learning is a field of study that gives computers the ability to "learn" without being explicitly programmed
 - Prediction
 - Classification

- ➤ What is **Deep** Learning?
- Deep learning is a branch of machine learning that teaches computers to do what comes naturally to humans: learn from experience.
- Deep learning uses deep neural network with several layers to learn.


TRANDITIONAL MACHINE LEARNING



DEEP LEARNING





- ➤ What is **Deep** Learning?
- Deep learning describes models that utilize multiple layers to represent latent features at a higher and more abstract level
- The representations are learned from data rather than constructed by human engineers



https://www.ibm.com/cloud/learn/neural-networks

- ➤ Inspiration from biological Neuron
- All or none
- Frequency rather amplitude helps in information processing







http://hyperphysics.phy-astr.gsu.edu/hbase/Biology/imgbio/actpot4.gif https://pmgbiology.files.wordpress.com/2015/02/5d3d66ef622165ae607b3c02f6e603c524e ececf.gif

Biological Neuron

From biological neural to artificial neural network




➤ How Artificial Neural Network Works?



> Activation Functions


Sigmoid

$$\sigma(x) = \frac{1}{1 + e^{-x}}$$




Leaky ReLU

 $\max(0.1x, x)$



tanh

tanh(x)




Maxout

 $\max(w_1^T x + b_1, w_2^T x + b_2)$


ReLU

 $\max(0,x)$



ELU

$$\begin{cases} x & x \ge 0 \\ \alpha(e^x - 1) & x < 0 \end{cases}$$




APPROACHES

➤ Gradient Descent

$$\hat{y}^i = \theta_0 + \theta_1 x_1^i + \theta_2 x_2^i + \cdots + \theta_n x_n^i \qquad i = 1, 2, \dots m$$


$$J = \left\langle \left(\hat{y}^i - y^i \right)^2 \right\rangle = \left(\hat{Y} - Y \right)^T \left(\hat{Y} - Y \right) = \frac{1}{m} \sum_{i=1}^m (\theta^T X^i - y^i)^2$$

$$\theta^{k+1} = \theta^k - \gamma \nabla_{\theta} J(\theta) \quad \text{(Standard Machine Learning)}$$




Back Propagation Algorithm (ANN)

$$w^{k+1} = w^k - \gamma \nabla_w J$$



$$\nabla_w J = \nabla_y J \nabla_w y$$

Application of Deep Learning



Cruise Assistance





Image Recognition

Medical Imaging



http://dafne%20van%20kuppevelt/

 $\frac{https://www.semanticscholar.org/paper/Human-like-Autonomous-Vehicle-Speed-Control-by-Deep-Zhang-Sun/9ed56cf584eb66bdf576fcc58e84fecb2f51f547}{}$

OUTLINE

- > INTRODUCTION
- > CHALLENGES OF BIOMEDICAL DATA ANALYSIS
- > DIFFERENT DEEP LEARNING APPROACHES WITH EXAMPLES
- **>** QUESTIONS

- > NEED A SPECIFIC RESEARCH QUESTION (HYPOTHESIS)
- FROM BIG DATA TO CLINICAL IMPACT IS STILL UNCLEAR

Scientific hypothesis, an idea that proposes a tentative explanation about a phenomenon or a narrow set of phenomena observed in the natural world. The two primary features of a scientific hypothesis are falsifiability and testability

Source: https://www.britannica.com/science/scientific-hypothesis

- >PHYSIOLOGICAL / BEHAVIORAL / DEMOGRAPHICS
 - Traditional Data Collection (Controlled Conditions)
 - Electronic Health Records (Notes, Vital Signs, Demographics, Lab Results..)
 - Sensor Data
 - Social Media Data

- >PHYSIOLOGICAL / BEHAVIORAL / DEMOGRAPHICS
 - Traditional Data Collection (Controlled Conditions)
 - Electronic Health Records (Notes, Vital Signs, Demographics, Lab Results..)
 - Sensor Data
 - Social Media Data

- Traditional Data Collection (Controlled Conditions)

Very expensive

Randomized Control Trials (Inclusion/ Exclusion Criteria)

Population sample must match the actual population (selection bias)

Sanson-Fisher, R.W., Bonevski, B., Green, L.W. and D'Este, C., 2007. Limitations of the randomized controlled trial in evaluating population-based health interventions. *American journal of preventive medicine*, 33(2), pp.155-161.

- Traditional Data Collection (Controlled Conditions)

Very expensive

Randomized Control Trials (Inclusion/ Exclusion Criteria)

Population sample must match the actual population (selection bias)

Zadrozny, B., 2004, July. Learning and evaluating classifiers under sample selection bias. In *Proceedings of the twenty-first international conference on Machine learning* (p. 114).

- >PHYSIOLOGICAL / BEHAVIORAL / DEMOGRAPHICS
 - Traditional Data Collection (Controlled Conditions)
 - Electronic Health Records (Notes, Vital Signs, Demographics, Lab Results..)
 - Sensor Data
 - Social Media Data

- Electronic Health Records

Demographics, current and past diagnosis, lab results, prescription drugs, notes, radiological images,

Subjective vs Objective

- Electronic Health Records

Medical Concept Extraction

Patient Trajectory Modeling

Disease Inference

Clinical Decision Support System

- Electronic Health Records (Notes, Vital Signs, Demographics,)

Missing Data

Sample Size

Miss classification error

Gianfrancesco, M.A., Tamang, S., Yazdany, J. and Schmajuk, G., 2018. Potential biases in machine learning algorithms using electronic health record data. *JAMA internal medicine*, 178(11), pp.1544-1547.

- Electronic Health Records (Notes, Vital Signs, Demographics,)

From traditional machine learning to deep learning:

Features are derived directly from data

Based on Artificial Neural Networks

Shickel, B., Tighe, P.J., Bihorac, A. and Rashidi, P., 2017. Deep EHR: a survey of recent advances in deep learning techniques for electronic health record (EHR) analysis. *IEEE journal of biomedical and health informatics*, 22(5), pp.1589-1604.

- >PHYSIOLOGICAL / BEHAVIORAL / DEMOGRAPHICS
 - Traditional Data Collection (Controlled Conditions)
 - Electronic Health Records (Notes, Vital Signs, Demographics, Lab Results..)
 - Sensor Data
 - Social Media Data

- Sensor Data

Sensor Design : Differential characteristics

Data are nonstationary : Feature extraction methods are stationary

Data has multiscale structure: Analytical tools fails to capture such scales

Noise & Artifacts : Noise/ artifacts may have useful information


- Sensor Data


Sensor Design : Differential characteristics

Data are nonstationary : Feature extraction methods are stationary

Data has multiscale structure: Analytical tools fails to capture such scales

Noise & Artifacts : Noise/ artifacts may have useful information





Sjoding, M.W., Dickson, R.P., Iwashyna, T.J., Gay, S.E. and Valley, T.S., 2020. Racial bias in pulse oximetry measurement. *New England Journal of Medicine*, 383(25), pp.2477-2478.

Bent, B., Goldstein, B.A., Kibbe, W.A. and Dunn, J.P., 2020. Investigating sources of inaccuracy in wearable optical heart rate sensors. *NPJ digital medicine*, *3*(1), pp.1-9.


- Sensor Data

Sensor Design : Differential characteristics

Data are nonstationary : Feature extraction methods are stationary

Data has multiscale structure: Analytical tools fails to capture such scales

Noise & Artifacts : Noise/ artifacts may have useful information



Indic, P. and Narayanan, J., 2011. Wavelet based algorithm for the estimation of frequency flow from electroencephalogram data during epileptic seizure. *Clinical neurophysiology*, *122*(4), pp.680-686.


a Training phase Training Deployment TN

Deep learning

Low-power chip

b Inference phase

iEEG recording



Kiral-Kornek, I., Roy, S., Nurse, E., Mashford, B., Karoly, P., Carroll, T., Payne, D., Saha, S., Baldassano, S., O'Brien, T. and Grayden, D., 2018. Epileptic seizure prediction using big data and deep learning: toward a mobile system. *EBioMedicine*, *27*, pp.103-111.


- Sensor Data

Sensor Design : Differential characteristics

Data are nonstationary : Feature extraction methods are stationary

Data has multiscale structure: Analytical tools fails to capture such scales

Noise & Artifacts : Noise/ artifacts may have useful information



Bloch-Salisbury, E., Indic, P., Bednarek, F. and Paydarfar, D., 2009. Stabilizing immature breathing patterns of preterm infants using stochastic mechanosensory stimulation. *Journal of Applied Physiology*, 107(4), pp.1017-1027.


- Sensor Data

Sensor Design : Differential characteristics

Data are nonstationary : Feature extraction methods are stationary


Data has multiscale structure: Analytical tools fails to capture such scales

Noise & Artifacts : Noise/ artifacts may have useful information



Zuzarte, I., Sternad, D. and Paydarfar, D., 2021. Predicting apneic events in preterm infants using cardio-respiratory and movement features. *Computer Methods and Programs in Biomedicine*, 209, p.106321.

Training on data from each (k-1) folds



Bias:

Historical bias : Structural issue with data collection

Representation bias : Effect of sampling

Measurement bias : Measurement of a specific feature

Evaluation bias : Model iteration and evaluation

Aggregation bias : Flawed assumptions

Suresh, H. and Guttag, J.V., 2019. A framework for understanding unintended consequences of machine learning. *arXiv* preprint arXiv:1901.10002, 2.

BIOMEDICAL (BIG) DATA

Challenges:

Conceptual : Standards, Physician's intuition, Reasoning

Technical : Limitations in sensors & algorithms

Humanistic : Values & duties, ethics

Interpretability : From black box to clinical inference

Quinn, T.P., Senadeera, M., Jacobs, S., Coghlan, S. and Le, V., 2021. Trust and medical AI: the challenges we face and the expertise needed to overcome them. *Journal of the American Medical Informatics Association*, 28(4), pp.890-894.

- > INTRODUCTION
- > CHALLENGES OF BIOMEDICAL DATA ANALYSIS
- > DIFFERENT DEEP LEARNING APPROACHES WITH EXAMPLES
- **>** QUESTIONS


> DIFFERENT DEEP LEARNING APPROACHES WITH EXAMPLES

Convolutional Neural Network Long Short-Term Memory

> DIFFERENT DEEP LEARNING APPROACHES WITH EXAMPLES

Convolutional Neural Network Long Short-Term Memory

Convolutional Neural Network (Finite Impulse Response)




https://towardsdatascience.com/a-comprehensive-guide-to-convolutional-neural-networks-the-eli5-way-3bd2b1164a53

Convolutional Neural Network (Pretrained Network)

GoogLeNet, a pretrained deep convolutional neural network (CNN or ConvNet)



Example 1: Simple Image Classification using GoogleNET (using App)









Example 2: Classify Text Data Using Convolutional Neural Network


Description	Category	Urgency	Resolution	Cost
{'Items are occasionally getting stuck in the scanner spools.' }	{'Mechanical Failure'}	{'Medium'}	{'Readjust Machine' }	45
{'Loud rattling and banging sounds are coming from assembler pistons.'}	{'Mechanical Failure'}	{'Medium'}	{'Readjust Machine' }	35
{'There are cuts to the power when starting the plant.' }	{'Electronic Failure'}	{'High' }	{'Full Replacement' }	16200
{'Fried capacitors in the assembler.' }	{'Electronic Failure'}	{'High' }	{'Replace Components'}	352
{'Mixer tripped the fuses.' }	{'Electronic Failure'}	{'Low' }	{'Add to Watch List' }	55
{'Burst pipe in the constructing agent is spraying coolant.' }	{'Leak' }	{'High' }	{'Replace Components'}	371
{'A fuse is blown in the mixer.' }	{'Electronic Failure'}	{'Low' }	{'Replace Components'}	441
{'Things continue to tumble off of the belt.' }	{'Mechanical Failure'}	{'Low' }	{'Readjust Machine' }	38


Example 2: Classify Text Data Using Convolutional Neural Network





Example 2: Classify Text Data Using Convolutional Neural Network















> DIFFERENT DEEP LEARNING APPROACHES WITH EXAMPLES

Convolutional Neural Network Long Short-Term Memory

➤ Long Short-Term Memory (LSTM) Network (Infinite Impulse Response)


Special category of network that are suitable for learning long-term dependencies.



https://towardsdatascience.com/machine-learning-recurrent-neural-networks-and-long-short-term-memory-lstm-python-keras-example-86001ceaaebc


Example 4: LSTM Regression Network for Time Series Forecasting Using Deep

Network Designer (App)





Example 4: LSTM Regression Network for Time Series Forecasting Using Deep

Network Designer (App)



Example 4: LSTM Regression Network for Time Series Forecasting Using Deep Network Designer (App)





CONCLUSION

- Deep Learning Networks can be used for regression and classification
- Forecasting or Prediction is a salient feature of ANN
- Need large amount of data to train the models
- > Special Attention to be given to the challenges in dealing with biomedical data





SBIR: RAE (Realize, Analyze, Engage) - A digital biomarker based detection and intervention system for stress and carvings during recovery from substance abuse disorders. *Pls: M. Reinhardt, S. Carreiro, P. Indic*



STARs Award

The University of Texas System *P. Indic (PI, UT Tyler)*

Research Design & Data Analysis Lab
Office of Research, Scholarship, and Sponsored Programs



Department of Veterans Affairs

Design of a wearable sensor system and associated algorithm to track suicidal ideation from movement variability and develop a novel objective marker of suicidal ideation and behavior risk in veterans. Clinical Science Research and Development Grant (approved for funding),

P. Indic (site PI, UT-Tyler)

E.G. Smith (Project PI, VA)

P. Salvatore (Investigator, Harvard University)



Pre-Vent

National Institute Of Health Grant

P. Indic (Analytical Core PI, UT-Tyler)

N. Ambal (PI, Univ. of Alabama, Birmingham)



ViSiON

National Institute Of Health Grant
P. Indic (Co-Investigator & site PI, UT-Tyler)
P. Ramanand (Co-Investigator, UT-Tyler)
N. Ambal (PI, Univ. of Alabama, Birmingham)

QUESTIONS